

METHOD AND APPARATUS FOR FILLING OUT ELECTRONIC FORMS

TECHNICAL FIELD

This invention relates to an apparatus and method for filling in electronic forms, and specifically to a standard based automated system having a standard compliant form for extracting information from appropriate fields of a standard compliant database and inserting the information into the standard compliant form.

BACKGROUND OF THE INVENTION

Exchange of information between computers in an electronic communication system is now commonplace. Users of e-commerce via the Internet often encounter situations where forms are required to be completed. Electronic commerce involves commercial activities between businesses, as well as between consumers and businesses that involve electronic media operating under a standard payment platform, such as electronic payment systems and online banking systems (e.g., Secure Electronic Transaction SET, Open Financial Exchange OFX, etc.). A user at a terminal connected to the electronic communications system often has to repeat certain actions, such as entering personal information. For example, in an Internet electronic commerce situation, a user often has to fill in forms to order merchandise, to register products for warranty claims, to request services, or for a wide variety of other purposes. The forms are displayed on a computer screen via a web page. The information in most of these forms is similar, such as name, address, telephone

05731651.120700

number and credit card number. The user enters alphanumeric text into the form displayed on a computer monitor via an input device such as a keyboard each and every time the information is required. A need exists for a way to automate the entry of information that is required so that the user does not have to enter the alphanumeric text each time the information is required.

5 Merchants seek information to be recorded into proprietary forms (databases or electronic forms) by entry of data into predetermined fields which have been communicated to a particular customer through a web page. The predetermined fields vary from web page to web page, and at present there is no motivation among those requesting information to standardize their forms. For example, Amazon.com stores user information and fills in most of its order form to automate much of the sales transaction. However, each merchant manages this process independently, and a system that works for one merchant and one customer, may not work for that same customer and a different merchant.

Therefore, a need exists for a form that can be used by an information requester so that the form can access a user's personal database. A family may use a home computer and the Internet to engage in a variety of transactions. The family may have several banks accounts and several credit cards, some of which are in the name of one spouse and some in the name of the other spouse. In addition, either or both spouses may have a business credit card to be used for certain transactions. If either or both spouses are professionals, they may have annual forms to update requiring entry of certain professional information and identification numbers to professional societies or state agencies. It may be desirable for each spouse to use different payment methods or different credit cards for various transactions. For example, the husband may buy a set of skis for personal use, and enter the requested information by filling in an electronic form that includes a field entry for his

personal credit card number. Later, the husband may order a wireless phone system for his business, and desire to use his business credit card. On another occasion, an electronic bill may be sent from a department store that is to be charged to the wife's credit card. Therefore, different data is needed for each transaction. Moreover, the ability to distinguish among the various transactions and among the various data required for each transaction is a needed prerequisite for such an automated system.

United States Patent 6,065,048, entitled "Method and System to Create, Transmit, Receive and Process Information, Including an Address to Further Information," describes a method and system for sending and receiving Uniform Resource Locators (URLs) in electronic mail over the Internet. United States Patent, 6,004,205 entitled, "Communication System for Transferring Information Between Memories According to Processes Transferred with the Information," describes an automated communications system that operates to transfer data, metadata and methods from a provider computer to a consumer computer through a communications network. United States Patent 6,026,410, entitled "Information Organization and Collaboration Tool for Processing Notes and Action Requests in Computer Systems," describes a natural language-based information organization and collaboration tool for a computer system. United States Patent 6,018,761, entitled "System for Adding to Electronic Mail Messages Information Obtained From Sources External to the Electronic Mail Transport Process," discloses an apparatus and method for obtaining message context information regardless of whether or not the sender includes context information, such as a full name, address or telephone number. United States Patent 6,012,083, entitled "Method and Apparatus for Document Processing Using Agents to Process Transactions Created Based on Document Content," discloses a Web agency being interposed between a Web client and a Web server to transform the requests from the Web client prior to sending the requests to the Web server,

as well as other steps or structures as described by said patent.

What is needed beyond the prior art is a way to automate the insertion of requested information into a variety of web based forms. What is further needed is a way for accomplishing the automatic insertion of data while distinguishing the nature of requests according to a pre-selected set of rules and default values.

SUMMARY OF THE INVENTION

The invention which meets the needs identified above is a standard based automated system for filling out electronic forms using a standard compliant form accessible to merchants that allows data to be extracted from labeled fields in a user's standard compliant database. A user creates a standard compliant database with labeled fields for name(s), address(s), telephone number(s), credit card number(s), and other information. A requester creates a standard compliant form and sends the form to the user where the form extracts information from the appropriate fields of the database. The user also creates a set of rules for combining the standard compliant database with the standard compliant form by applying a set of rules for default values, a set of rules responsive to flags included in the form, and a set of rules to make certain decisions when conflicts arise among field values. The completed form is then presented to the user for approval and returned to the information requester.

BRIEF DESCRIPTION OF THE DRAWINGS

The present invention will now be described, by way of example, with reference to the accompanying drawings, in which:

Fig. 1 is a schematic of the form and database;

Fig. 2 is a schematic depicting the operation of the form and database;

Fig. 3 is a flowchart describing the present invention;

Fig. 4 depicts a flowchart describing the process of creating or updating the database.

DESCRIPTION OF THE PREFERRED EMBODIMENT

5 Referring to Fig. 1, automated process **100** has form **104** and database **102** that are compliant with a standard. As used herein, the term compliant means adhering to a standard. As used herein, the term standard means a protocol extension which specifies the fields which may be used in the forms and in the corresponding user database. As used herein, the term establishing means defining the fields in the protocol extension by which a requester may construct a form, by which a user may construct a database, and by which the requester and the user may transfer field values over a network using the form and database. As used herein, the term protocol extension includes but is not limited to the MIME protocol extension. In the preferred embodiment of automated process **100** and of the related methods and processes disclosed herein, the standard is the MIME protocol extension. As used herein, MIME stands for Multipurpose Internet Mail Extensions and is an existing specification for formatting non-ASCII messages so that they can be sent over the Internet. Most browsers now support MIME, which enables them to send and receive graphics, audio, and video files via the Internet mail system. In addition, MIME supports messages in character sets other than ASCII. There are many predefined MIME types, such as GIF graphics files and PostScript files. It is also possible for the user to define MIME types. This enables the browser
20 to display or output files that are not in HTML format. MIME was defined in 1992 by the Internet Engineering Task Force (IETF). A version called S/MIME supports encrypted messages. The scope of the present invention is not limited to the MIME protocol. Any standard that can transfer field

values via a network may be selected for automated process **100**. Thus, it does not matter whether the field values are contained within or attached to an email, as long as the field values are acceptably transferred to a requester. Form **104** is created by requester **120** and sent to the user. Form **104** may contain flag **105**. As used herein, the term flag means a variable indicating the existence or status of a certain condition. Automated process **100** combines form **104** and database **102** by applying rules **106** to produce completed form **108** which is then transmitted in network **110** to requester **120**. Database **102** is adapted for entry of information into labeled fields. Database **102** and completed form **108** may be encrypted. In the preferred embodiment, completed form **108** will be encrypted prior to transmission to requester **120**. Database **102** may be located within a user's computer, or alternatively, database **102** may be in a separate location such as a proxy server. Information for each labeled field may be divisible. In other words, several instances of data may be present in each field of database **102**. For example, a "name" field may be further subdivided into "company name," "user's legal name," and "spouse's name". However, when multiple entries are available in a field, a default entry may be identified by one of the rules contained in rules **106**.

Information requester **120** creates form **104**. Requester **120** may send form **104** to a user through a web page, e-mail or by other electronic transmission. Form **104** queries database **102** to extract data from the labeled fields in order to fill out the form. Flag **105** may indicate whether the request is personal, business or related to a particular family member. Flag **105** may be further adapted by requester **120** to simplify the task of the user in creating rules **106**. Rules **106** are created by the user and applied to determine which of the several values will be entered into the form. Rules **106** may include a set of rules for default values, a set of rules responsive to flag **105** included in the form, and a set of rules to make certain decisions when conflicts arise. The user may also override

rules **106** by intervention through a pull-down list box or other graphical user interface (GUI). Based upon the field values selected by the user, rules **106** may then specify a value for one or more of the other fields. For example, if "company name" is selected for the name field, "company address" is inserted into the address field, and "company credit card" is inserted into the credit card field.

Database **102** contains data which has been previously entered. Form **104** is capable of having data written to it from database **102**. In order for a portion of the data within database **102** to be written into form **104** according to the user's preference, rules **106** are selectively applied upon form **104** and database **102**. Form **104** and the portion of user data selected from database **102** by application of rules **106** and by user selection merge into completed form **108**. After review by the user, completed form **108** is encrypted by encryption program **109** and transmitted in network **110** to requester **120**. Network **110** is capable of communication to information requester **120**. Automated process **100** may be embodied in the form of computer program code containing instructions embodied in tangible media, such as floppy diskettes, CD-ROMs, EPROMs, hard drives, or any other computer-readable storage medium, wherein, when the computer program code is loaded into and executed by a computer, the computer becomes an apparatus for practicing the invention. Automated process **100** can also be embodied in the form of computer program code, for example, whether stored in a storage medium, loaded into and/or executed by a computer, or transmitted over some transmission medium, such as over electrical wiring or cabling, through fiber optics, or via electromagnetic radiation, wherein, when the computer program code is loaded into and executed by a computer, the computer becomes an apparatus for practicing the invention. When implemented on a general-purpose microprocessor, the computer program code segments configure

the microprocessor to create specific logic circuits. Network **110** can be a local area network (LAN), or network **110** may be a wide area network (WAN) such as the World Wide Web (WWW) of the Internet. Form **104** can reside in close proximity to database **102**. Or, alternatively, form **104** can reside apart from database **102**. In other words, a network (not shown) may exist between form **104** and database **102**. For example, form **104** may reside in a server (not shown) serving database **102**.

Fig. 2 depicts communication system **200**. Form **104**, database **102** and rules **106** reside within memory **206**. In the alternative, rules **106** may reside in processor memory **206**, or in any other suitable location. Memory **206** may be RAM, ROM, (CDROM, EPROM, etc.), or any suitable type of memory. In response to form **104**, data set **103** flows from database **102** to processor **202** wherein micro-controller **204** controls a processing operation. Processor **202** includes micro-controller **204** and processor memory **206**. Rules **106**, or at least part of rules **106**, flow to processor **202**. Processor **202** is coupled to display device **210** such as a monitor. Display device **210** may also be coupled to input device **220**. Input device **220** is coupled to processor **202**. Processor **202** is further coupled to network **110** so that completed form **108** may be encrypted by encryption program **109** and transmitted out of boundary **230**. Boundary **230** may be a firewall. As used herein, firewall means a combination of hardware and software that prevents computers in a network from communicating directly with computers external to the network and vice versa. Instead, all communication is routed through a proxy server outside of the network, and the proxy server decides whether it is safe to let a particular message or file pass through to the network. In the preferred embodiment, information transmitted within and without boundary **230** is suitably encrypted; however, automated process **100** can operate without encryption. In turn, completed form **108** is

encrypted by encryption program **109** and transmitted in network **110** to information requester **120**.

Figure 3 depicts a flow chart of automated database process **300**. Referring to Fig. 2 and Fig. 3, a user (not shown) having access to components within boundary **230** desires to order merchandise (also not shown) from a seller (not shown) who has access to requester **120** for an electronic commerce (e-commerce) transaction, or its equivalent. Requester **120** needs related data from the user. The data needed by requester **120** may include information such as name, address, phone number, credit card number or other information that may be transmitted in form **104**. Form **104** is received at the user's computer (**304**). After form **104** is received, a determination is made as to whether any portion of form **104** is compliant (**306**). If no portion of form **104** is compliant, the process ends (**328**). If any portion of form **104** is compliant, database **102** is queried (**308**). Processor **202** invokes form **104**, database **102** and rules **106** to fill in all fields in form **104** that can be filled in (**310**). Completed form **108** (see Fig. 2) is transmitted to display device **210**, that may be a monitor, and completed form **108** is displayed to the user (**312**). Next a determination is made as to whether all of the fields in completed form **108** have been filled in satisfactorily (**314**). If all of the fields have been filled in satisfactorily, completed form **108** is encrypted (**325**) and sent to information requester **120** (**326**). If all of the fields in completed form **108** have not been filled in satisfactorily (**314**), a determination is made whether to select a different field value (**316**). If a determination is made to select a different field value (**316**), then rules **106** are used to alter the other field values (**318**) and automated process **100** fills in completed form **108** with the new values (**310**) and displays completed form **108** to the user (**312**). For example, if the name field consists of the husband's name as well as another family member's name, all or some of the field values are displayed. In the preferred embodiment, a drop down menu would be displayed and one of the field

values chosen. The selection of different field values may occur automatically; alternatively, the selection of different field values may occur non-automatically with manual human intervention, such as by a click of a mouse device.

If a determination is made not to select a different field value, the data is entered manually (320). After the data is entered manually, a determination is made whether a new field has been identified (322). A new field type may be identified if requester 120 sends form 104 containing a previously unidentified request. If a new field type has not been identified, the process goes to step 318, rules 106 are used to alter other field values, and the process goes to step 310. If a new field type has been identified, new field values are defined, new rules for the new field values are defined, the new field values and new rules are stored (324), and the process goes to step 318.

A change of a default value (326) may cause a change in other field values. For example, if the user name field is changed from the user's legal name to a "doing business as" (DBA) name, the user's personal credit card number is changed to the user's business credit card number. Appropriate rules specify the change of default values. Alternatively, the change can be achieved by using list boxes, or pull down menus. Furthermore, every field may have a "none" option if the user did not want to supply that information. In addition, there may be a set of user/requester defined fields for special information for which there would not be a standard field. For fields that had to be filled in manually, such as a "problem description" field, the related information may be stored in the user database so that it is available for selection in the future. As appropriate, list boxes may have access to the manually stored values. The user may review the default values, which had been automatically placed into the form, make any necessary changes, and authorize the release of the information back to the requester as completed form 108 (326).

Figure 4 depicts the process for creating database **102**. The process begins **(402)** and fields are defined **(404)**. The information within the database may be in the form of different fields, each field having a value or a set of values. Each field may have several instances of data such as: company name, user's name and spouse's name; business address and personal address; and multiple credit card numbers. For example, the field of the user name may be the husband's name or other family member's name. Furthermore, a default value may be defined such that the default value is the name of the wife. In addition, the default value may be blank or zero when the user does not want to automatically assign a value, when the value can be added at a later time, or when the value needs to be entered manually. Rules are defined **(406)** in order to make pre-selected decisions when there are several instances of data in a field. For example, if an information request is received from an office supply company, the form will indicate the user's business information is to be selected. The form may include flag **105** (See Fig 1 and 2) to indicate which of the defaults should be used. For example, flag **105** may indicate either personal, family or business, and the user, having previously established a rule that if flag **105** indicates a business request, the rule will specify the business field values. If the form indicates a personal request, the user can still override if the user desires to use business field values. For an information request from a department store, the user defines a rule to select the user's personal credit card, or if married, the rule may specify the user's spouse's credit card. Other default values are also selected **(408)**. The default values are the values that will automatically be entered unless there is a choice among several instances of data in which the rules will be applied to make a selection. A check is made to see if there is a conflict in the rules **(410)**. A conflict in the rules occurs when the values that have been selected by the user or rules **106** (Fig. 1 and 2) preclude a determination of values for one or more data fields for entry

in form **104** in order to create completed form **108** (Fig. 1 and 2). If there is a conflict in the rules (**412**) the conflict is displayed (**416**). The user may then resolve the conflict by re-defining the fields to eliminate the conflict (**404**) and the process will continue to step **406**. If there are other fields to be defined (**414**) the process will return to step **404**. If there are no other fields to be defined, the process ends (**420**). The data may then be encrypted for protection.

The present invention can be embodied in the form of computer-implemented processes and apparatuses for practicing those processes. It will be understood that a person skilled in the art may make modifications to the preferred embodiment shown herein within the scope and intent of the claims. While the present invention has been described as carried out in a specific embodiment thereof, it is not intended to be limited thereby but intended to cover the invention broadly within the scope and spirit of the claims.

05/16/01 13:00
00/00/00 13:00